





TO STAGE ROTARY ENCODER (TYP. SINE WAVE)

TO STAGE LIMITS

THIS IS AN ATTEMPT TO MAKE CONSTRUCTION EASIER AND NOT USE SST SHIELDED TUBING. IF ITS HARDER, THE DWG WILL BE REV'D TO GO BACK TO THE OLD METHOD.



- 4 TERMINATE GRN/YEL WIRE WITH SHIELD
- 3 D-SUB CONNECTIONS
INSULATE ALL D-SUB SOLDER CONNECTIONS WITH HEATSHRINK, TYPICALLY: #24 AWG, EIW00100; #22 AWG, EIW00101
- 2 LABELS



PROPRIETARY INFORMATION THIS DRAWING IS THE PROPERTY OF AEROTECH, INC. AND IS SUBMITTED IN CONFIDENCE AND SHALL NOT BE REPRODUCED NOR COPIED NOR DISCLOSED TO OTHERS UNDER PENALTY OF LAW.			AEROTECH, INC. 101 Zeta Drive Pittsburgh, PA, 15238 (412)963-7470 www.aerotech.com		
TOLERANCES ON FRACTIONS DECIMALS ANGLES 0 TO 6 ±1/32 .XX ±0.1 ± 0-30' OVER 6 ±1/16 .XXX ±0.005			CABLE: (Lab to DC Motor) DC MTR + FB-25D-4D 25D 9D-5ARMS-MAX83DM		
RMS FINISH		EXCEPT AS NOTED	PART CODE	SIZE	REV.
DRAWN	JFM	1/2/2018	C26055	D 630D2605-5	-
CHECKED	JAB	1/2/2018	SCALE NTS	FILE NAME 630D2605-5.Dwg	SHEET 1 OF 1
APPD.	JFM	1/2/2018			